

ECE-374-B: Algorithms and Models of Computation, Fall 2024
Midterm 1 – September 26, 2024

- You can do hard things! Grades do matter, but not as much as you may think, but then life is uncertain anyway, so what.
 - **Don't cheat.** The consequence for cheating is far greater than the reward. Just try your best and you'll be fine.
 - **Please read the entire exam before writing anything.** Most problems have multiple parts. Make sure you check the front and back of all the pages!
 - This is a closed-book exam. At the end of the exam, you'll find a multi-page cheat sheet. *Do not tear out the cheatsheet!* No outside material is allowed on this exam.
 - You should write your answers legibly and in the space given for the question. Overly verbose answers will be penalized.
 - Scratch paper is available on the back of the exam. *Do not tear out the scratch paper!* It messes with the auto-scanner.
 - **You have 75 minutes (1.25 hours) for the exam.** Manage your time well. *Do not spend too much time on questions you do not understand and focus on answering as much as you can!*
 - Proofs are required only if we specifically ask for them. Even then, none of the questions require long inductive proofs. You are only required to give a short explanation of why your answer is correct.
-

Name: _____

NetID: _____

I Short Answer (Regular) - 24 points

Unless the question asks for it, no explanation is required for your answers for full credit. Keep any explanations of your answers to 2 sentences maximum.

- a. Write the recursive definition for the following language ($\Sigma = \{0, 1\}$):

$$L_{1a} = \{w | w \in \Sigma^*, w \text{ is a palindrome (same left to right and right to left) } \}^1$$

- b. Write the regular expression for the following languages ($\Sigma = \{0, 1\}$):

i $L_{1bi} = \{w | w \in \Sigma^*, w \text{ does not contain the subsequence } 010\}$

ii $L_{1bii} = \{w | w \in \Sigma^*, w \text{ is any string except the string "1"}\}$

- c. What is the minimum number of states a DFA would need to decide if a string belongs to the language $L = 0^{374}1^{473}2^*$?

¹ ϵ , "0", and "1" are a part of this language.


2 Short Answer (Context-free) - 16 points

Unless the question asks for it, no explanation is required for your answers for full credit. Keep any explanations of your answers to 2 sentences maximum.

a. Provide the context-free grammar for the following language:

$$L_{2a} = \{w \mid w \in \{a, b, c\}^*, w = a^i b^j c^k \text{ where } k \geq i + j\}$$

b. Succinctly describe the language described by the following PDA ($\Sigma = \{a, b, c\}$):



3 Language Transformation - 15 points

Assume L is a regular language and $\Sigma = \{0, 1\}$. Assume zero-indexing (first bit is at position “[0]”).

Prove that the language $delete21's(L) := \{xyz \mid x1y1z \in L\}$ is regular.

4 Language classification I (2 parts) - 15 points

Let $\Sigma_4 = \left\{ \begin{bmatrix} 0 \\ 0 \end{bmatrix}, \begin{bmatrix} 0 \\ 1 \end{bmatrix}, \begin{bmatrix} 1 \\ 0 \end{bmatrix}, \begin{bmatrix} 1 \\ 1 \end{bmatrix} \right\}$ and each row of the string represent a binary number.

$L_4 = \{w \in \Sigma^* \mid \text{the top row of } w \text{ is twice the value of the bottom row.}\}$.

For the sake of simplicity, you may assume a binary number may (but does not have to) begin with a 0. As an example, the string " $\begin{bmatrix} 1 \\ 0 \end{bmatrix} \begin{bmatrix} 1 \\ 1 \end{bmatrix} \begin{bmatrix} 0 \\ 1 \end{bmatrix}$ " is in the language but the string

" $\begin{bmatrix} 1 \\ 1 \end{bmatrix} \begin{bmatrix} 0 \\ 1 \end{bmatrix} \begin{bmatrix} 0 \\ 1 \end{bmatrix}$ " is not.

- a. Is L_4 regular? Indicate whether or not by circling one of the choices below. Either way, prove it.

regular not regular

- b. Is L_4 context-free? Indicate whether or not by circling one of the choices below. Either way, prove it.

context-free not context-free

5 Language classification II (2 parts) - 15 points

Let $\Sigma_5 = \{0, 1\}$ and

$$L_5 = \{x0y \mid x, y \in \Sigma_5^*, \#_1(x) \geq \#_1(y)\}^{2,3}$$

- a. Is L_5 regular? Indicate whether or not by circling one of the choices below. Either way, prove it.

regular not regular

- b. Is L_5 context-free? Indicate whether or not by circling one of the choices below. Either way, prove it.

context-free not context-free

² x has *at least* as many 1's as y

³The $\#_a(w)$ operator counts the number of times character a appears in string w

6 Language classification III (2 parts) - 15 points

Let $\Sigma_6 = \{0, 1\}$ and

$$L_6 = \{w \in \{0, 1\}^n \mid w \text{ is a palindrome and } 0 \leq n \leq 4\}$$

a. Is L_6 regular? Indicate whether or not by circling one of the choices below. Either way, prove it.

regular not regular

b. Is L_6 context-free? Indicate whether or not by circling one of the choices below. Either way, prove it.

context-free not context-free

This page is for additional scratch work!

ECE 374 B Language Theory: Cheatsheet

1 Languages and strings

Languages

- An alphabet Σ is a **finite** set of symbols.

Definitions A string in Σ^* is a **finite** sequence of symbols in Σ .

- A language is L is a set of strings over some alphabet.

All languages represent mathematical problems.
Example: multiplication of two integers:

$$L_{MULT2} = \left\{ \begin{array}{l} 1 \times 1|1, \quad 1 \times 2|2, \quad 1 \times 3|3, \dots \\ 2 \times 1|2, \quad 2 \times 2|4, \quad 2 \times 3|6, \dots \\ \vdots \\ n \times 1|n, \quad n \times 2|2n, \quad n \times 3|3n, \dots \end{array} \right\} \quad (1)$$

Language operations

- For languages A, B the *concatenation* of A, B is $AB = \{xy \mid x \in A, y \in B\}$.
- For languages A, B , their *union* is $A \cup B$, *intersection* is $A \cap B$, and *difference* is $A \setminus B$ (also written as $A - B$).
- For language $A \subseteq \Sigma^*$ the *complement* of A is $\bar{A} = \Sigma^* \setminus A$.
- Σ^n is the set of all strings of length n .
- $\Sigma^* = \bigcup_{n \geq 0} \Sigma^n$ is the set of all strings over Σ .
- $\Sigma^+ = \bigcup_{n \geq 1} \Sigma^n$ is the set of non-empty strings over Σ .

Strings

- The *length* of a string w (denoted by $|w|$) is the number of symbols in w .
- For integer $n \geq 0$, Σ^n is set of all strings over Σ of length n . Σ^* is the set of all strings over Σ .

Definitions

- Σ^* is the set of all strings of all lengths including empty string.
- ϵ is a *string* containing no symbols.
- \emptyset is the *empty set*. It contains no strings.

- If x and y are strings then xy denotes their concatenation. Recursively:

- $xy = y$ if $x = \epsilon$

- $xy = a(wy)$ if $x = aw$

- v is *substring* of $w \iff$ there exist strings x, y such that $w = xvy$.

- If $x = \epsilon$ then v is a *prefix* of w

- If $y = \epsilon$ then v is a *suffix* of w


- A *subsequence* of a string $w = w_1w_2 \dots w_n$ is either a subsequence of $w_2 \dots w_n$ or w_1 followed by a subsequence of $w_2 \dots w_n$.

- If w is a string then w^n is defined inductively as follows:
 $w^n = \epsilon$ if $n = 0$ or $w^n = ww^{n-1}$ if $n > 0$

String operations

2 Overview of language complexity

Overview



Grammar	Languages	Production Rules	Automaton	Examples
Type-0	recursively enumerable	$\gamma \rightarrow \alpha$ (no constraints)	Turing machine	$L = \{w \mid w \text{ is a TM which halts}\}$
Type-1	context-sensitive	$\alpha A \beta \rightarrow \alpha \gamma \beta$	linear bounded nondeterministic Turing machine	$L = \{a^n b^n c^n \mid n > 0\}$
Type-2	context-free	$A \rightarrow \alpha$	nondeterministic pushdown automata	$L = \{a^n b^n \mid n > 0\}$
Type-3	regular	$A \rightarrow aB$	finite state machine	$L = \{a^n \mid n > 0\}$

Meaning of symbols:

- a - terminal
- A, B - variables
- α, β, γ - strings in $\{a \cup A\}^*$ where α, β are maybe empty, γ is never empty

^aTable borrowed from Wikipedia: https://en.wikipedia.org/wiki/Chomsky_hierarchy

3 Regular languages

Regular language - overview

A language is regular if and only if it can be obtained from finite languages by applying

- union,
- concatenation or
- Kleene star

finitely many times. All regular languages are representable by regular grammars, DFAs, NFAs and regular expressions.

Regular expressions

Useful shorthand to denotes a language. A regular expression r over an alphabet Σ is one of the following:

Base cases:

- \emptyset the language \emptyset
- ϵ denotes the language $\{\epsilon\}$
- a denote the language $\{a\}$

Inductive cases: If r_1 and r_2 are regular expressions denoting languages L_1 and L_2 respectively (i.e., $L(r_1) = L_1$ and $L(r_2) = L_2$) then,

- $r_1 + r_2$ denotes the language $L_1 \cup L_2$
- $r_1 \cdot r_2$ denotes the language $L_1 L_2$
- r_1^* denotes the language L_1^*

Examples:

- 0^* - the set of all strings of 0s, including the empty string
- $(00000)^*$ - set of all strings of 0s with length a multiple of 5
- $(0 + 1)^*$ - set of all binary strings

Nondeterministic finite automata

NFAs are similar to DFAs, but may have more than one transition destination for a given state/character pair.


An NFA N accepts a string w iff some accepting state is reached by N from the start state on input w .

The language accepted (or recognized) by an NFA N is denoted $L(N)$ and defined as $L(N) = \{w \mid N \text{ accepts } w\}$.

A nondeterministic finite automaton (NFA) $N = (Q, \Sigma, s, A, \delta)$ is a five tuple where

- Q is a finite set whose elements are called states
- Σ is a finite set called the input alphabet
- $\delta : Q \times \Sigma \cup \{\epsilon\} \rightarrow \mathcal{P}(Q)$ is the transition function (here $\mathcal{P}(Q)$ is the power set of Q)
- s and Σ are the same as in DFAs

Example:



	ϵ	0	1
$\delta : q_0$	$\{q_0\}$	$\{q_0\}$	$\{q_0, q_1\}$
q_1	$\{q_1, q_2\}$	$\{q_2\}$	\emptyset
q_2	$\{q_2\}$	\emptyset	$\{q_3\}$
q_3	$\{q_3\}$	$\{q_3\}$	$\{q_3\}$

$s = q_0$
 $A = \{q_3\}$

For NFA $N = (Q, \Sigma, \delta, s, A)$ and $q \in Q$, the ϵ -reach(q) is the set of all states that q can reach using only ϵ -transitions.

Inductive definition of $\delta^* : Q \times \Sigma^* \rightarrow \mathcal{P}(Q)$:

- if $w = \epsilon$, $\delta^*(q, w) = \epsilon\text{-reach}(q)$
- if $w = a$ for $a \in \Sigma$, $\delta^*(q, a) = \epsilon\text{reach}\left(\bigcup_{p \in \epsilon\text{-reach}(q)} \delta(p, a)\right)$
- if $w = ax$ for $a \in \Sigma, x \in \Sigma^*$: $\delta^*(q, w) = \epsilon\text{reach}\left(\bigcup_{p \in \epsilon\text{-reach}(q)} \left(\bigcup_{r \in \delta^*(p, a)} \delta^*(r, x)\right)\right)$

Regular closure

Regular languages are closed under union, intersection, complement, difference, reversal, Kleene star, concatenation, etc.

Deterministic finite automata


DFAs are finite state machines that can be represented as a directed graph or in terms of a tuple.

The language accepted (or recognized) by a DFA M is denoted by $L(M)$ and defined as $L(M) = \{w \mid M \text{ accepts } w\}$.

A deterministic finite automaton (DFA) $M = (Q, \Sigma, s, A, \delta)$ is a five tuple where

- Q is a finite set whose elements are called states
- Σ is a finite set called the input alphabet
- $\delta : Q \times \Sigma \rightarrow Q$ is the transition function
- $s \in Q$ is the start state
- $A \subseteq Q$ is the set of accepting/final states

Example:



$Q = \{q_0, q_1\}$
 $\Sigma = \{0, 1\}$

	0	1
$\delta : q_0$	q_1	q_0
q_1	q_0	q_1

$s = q_0$
 $A = \{q_0\}$

Every string has a unique walk along a DFA. We define the extended transition function as $\delta^* : Q \times \Sigma^* \rightarrow Q$ defined inductively as follows:

- $\delta^*(q, w) = q$ if $w = \epsilon$
- $\delta^*(q, w) = \delta^*(\delta(q, a), x)$ if $w = ax$.

Can create a larger DFA from multiple smaller DFAs. Suppose

- $L(M_0) = \{w \text{ has an even number of 0s}\}$ (pictured above) and
- $L(M_1) = \{w \text{ has an even number of 1s}\}$.


$L(M_C) = \{w \text{ has even number of 0s and 1s}\}$

Suppose $M_0 = (Q_0, \Sigma, s_0, A_0, \delta_0)$ and $M_1 = (Q_1, \Sigma, s_1, A_1, \delta_1)$. Then

- $Q = Q_0 \times Q_1 = \{(q_0, q_1) \mid q_0 \in Q_0, q_1 \in Q_1\}$
- $s = (s_0, s_1)$
- $\delta : Q \times \Sigma \rightarrow Q$, where $\delta((q_0, q_1), a) = (\delta_0(q_0, a), \delta_1(q_1, a))$
- $A = \{(q_0, q_1) \mid q_0 \in A_0 \text{ and } q_1 \in A_1\}$


Regular language equivalences

A regular language can be represented by a regular expression, regular grammar, DFA and NFA.




Thompson's algorithm:

$L = L_s \cup L_t$ $L = L_s^*$



$L = L_s \cdot L_t$



Arden's rule: If $R = Q + RP$ then $R = QP^*$.

Fooling sets

Some languages are not regular (Ex. $L = \{0^n 1^n \mid n \geq 0\}$).

Two states $p, q \in Q$ are distinguishable if there exists a string $w \in \Sigma^*$, such that

$$\delta^*(p, w) \in A \text{ and } \delta^*(q, w) \notin A.$$

or

Two states $p, q \in Q$ are equivalent if for all strings $w \in \Sigma^*$, we have that

$$\delta^*(p, w) \in A \iff \delta^*(q, w) \in A.$$

$\delta^*(p, w) \notin A$ and $\delta^*(q, w) \in A$.

For a language L over Σ a set of strings F (could be infinite) is a fooling set or distinguishing set for L if every two distinct strings $x, y \in F$ are distinguishable.

4 Context-free languages

Context-free languages

A language is context-free if it can be generated by a context-free grammar. A context-free grammar is a quadruple $G = (V, T, P, S)$

- V is a finite set of *nonterminal (variable) symbols*
- T is a finite set of *terminal symbols* (alphabet)
- P is a finite set of *productions*, each of the form $A \rightarrow \alpha$ where $A \in V$ and α is a string in $(V \cup T)^*$. Formally, $P \subseteq V \times (V \cup T)^*$.
- $S \in V$ is the *start symbol*

Example: $L = \{ww^R \mid w \in \{0, 1\}^*\}$ is described by $G = (V, T, P, S)$ where V, T, P and S are defined as follows:

- $V = \{S\}$
- $T = \{0, 1\}$
- $P = \{S \rightarrow \varepsilon \mid 0S0 \mid 1S1\}$
(abbreviation for $S \rightarrow \varepsilon, S \rightarrow 0S0, S \rightarrow 1S1$)
- $S = S$

Pushdown automata

A pushdown automaton is an NFA with a stack.


The language $L = \{0^n 1^n \mid n \geq 0\}$ is recognized by the pushdown automaton:

A *nondeterministic pushdown automaton (PDA)* $P = (Q, \Sigma, \Gamma, \delta, s, A)$ is a **six** tuple where

- Q is a finite set whose elements are called *states*
- Σ is a finite set called the *input alphabet*
- Γ is a finite set called the *stack alphabet*
- $\delta : Q \times (\Sigma \cup \{\varepsilon\}) \times (\Gamma \cup \{\varepsilon\}) \rightarrow \mathcal{P}(Q \times (\Gamma \cup \{\varepsilon\}))$ is the *transition function*
- s is the start state
- A is the set of accepting states

In the graphical representation of a PDA, transitions are typically written as (input read), (stack pop) \rightarrow (stack push).

A CFG can be converted to a pushdown automaton.



Context-free closure

Context-free languages are closed under union, concatenation, and Kleene star.

They are **not** closed under intersection or complement.