



## Pre-lecture brain teaser

Given  $\Sigma = \{0, 1\}$ , find the regular expression for the language containing all binary strings with an odd number of 0's

Formulate a **language** that describes the above problem.

# ECE-374 B: Lecture 2 - DFAs

---

Lecturer: Nickvash Kani

September 03, 2024

University of Illinois at Urbana-Champaign

# Pre-lecture brain teaser

Given  $\Sigma = \{0, 1\}$ , find the regular expression for the language containing all binary strings with an odd number of 0's

Formulate a **language** that describes the above problem.

$(00^*1)^* 0 (00^*1)^* \neq 010^*0$

$(1^* + 001^* + 01^*0 + 1^*00)^* 0 (1^* + 001^* + 01^*0 + 1^*00)^*$   
 $(1 + 00 + 010)^* 0 (1 + 00 + 010)^* \rightarrow \begin{matrix} 01010001 \\ 0110110 \end{matrix}$

if  $\Sigma = \{0, 1\}$

$1^* 0 1^* (0 1^* 0 1^*)^*$

# A simple program

Program to check if an input string  $w$  has odd number of 0's

```
int  $n = 0$ 
While input is not finished
  read next character  $c$ 
  If ( $c \equiv '0'$ )
     $n \leftarrow n + 1$ 
endWhile
If ( $n$  is odd) output YES
Else output NO
```

# A simple program


Program to check if an input string  $w$  has odd number of 0's

```
int  $n = 0$ 
While input is not finished
  read next character  $c$ 
  If ( $c \equiv '0'$ )
     $n \leftarrow n + 1$ 
endWhile
If ( $n$  is odd) output YES
Else output NO
```

```
bit  $x = 0$ 
While input is not finished
  read next character  $c$ 
  If ( $c \equiv '0'$ )
     $x \leftarrow \text{flip}(x)$ 
endWhile
If ( $x = 1$ ) output YES
```

*return x*

## Another view



- Machine has input written on a read-only tape
- Start in specified start state
- Start at left, scan symbol, change state and move right
- Circled states are accepting
- Machine accepts input string if it is in an accepting state after scanning the last symbol.

# Deterministic-finite-automata (DFA)

## Introduction

---



# DFAs also called Finite State Machines (FSMs)


- The “simplest” model for computers?
- State machines that are common in practice.
  - Vending machines
  - Elevators
  - Digital watches
  - Simple network protocols
- Programs with fixed memory

# Graphical representation of DFA

---


# Graphical Representation/State Machine

$\Sigma = \{0,1\}$   
transitions =  $|\Sigma| \cdot |Q|$




- Directed graph with nodes representing **states** and edge/arcs representing **transitions** labeled by symbols in  $\Sigma$
- For each state (vertex)  $q$  and symbol  $a \in \Sigma$  there is exactly one outgoing edge labeled by  $a$
- Initial/start state has a pointer (or labeled as  $s$ ,  $q_0$  or “start”)
- Some states with double circles labeled as accepting/final states

# Graphical Representation




- Where does 001 lead? *q0*

# Graphical Representation



- Where does 001 lead?
- Where does 10010 lead? **?**


# Graphical Representation



- Where does 001 lead?
- Where does 10010 lead?
- Which strings end up in accepting state?


*string with an odd # of 0's*

# Graphical Representation



- Where does 001 lead?
- Where does 10010 lead?
- Which strings end up in accepting state?
- Every string  $w$  has a unique walk that it follows from a given state  $q$  by reading one letter of  $w$  from left to right.

# Graphical Representation




## Definition

A DFA  $M$  **accepts a string**  $w$  iff the unique walk starting at the start state and spelling out  $w$  ends in an accepting state.



# Graphical Representation



## Definition

A DFA  $M$  **accepts a string**  $w$  iff the unique walk starting at the start state and spelling out  $w$  ends in an accepting state.

## Definition

The **language accepted** (or recognized) by a DFA  $M$  is denoted by  $L(M)$  and defined as:  $L(M) = \{w \mid M \text{ accepts } w\}$ .

$r$  = regular expression

$L(r) = \{w \mid r \text{ can be used to construct } w\}$   
matches

## Formal definition of DFA

---

# Formal Tuple Notation

## Definition

A **deterministic finite automata (DFA)**  $M = (Q, \Sigma, \delta, s, A)$  is a five tuple where

- $Q$  is a finite set whose elements are called **states**,
- $\Sigma$  is a finite set called the **input alphabet**,
- $\delta : Q \times \Sigma \rightarrow Q$  is the **transition function**,
- $s \in Q$  is the **start state**,
- $A \subseteq Q$  is the set of **accepting/final** states.

$$\delta(a, q_x) = q_y$$


Common alternate notation:  $q_0$  for start state,  $F$  for final states.

# DFA Notation

$$M = \left( \underbrace{Q}_{\substack{\text{set} \\ \text{states}}}, \underbrace{\Sigma}_{\text{alphabet}}, \underbrace{\delta}_{\substack{\text{transition} \\ \text{function } (\delta)}}, \underbrace{s}_{\substack{\text{start} \\ \text{state}}}, \underbrace{A}_{\substack{\text{set of} \\ \text{accept} \\ \text{states}}} \right)$$

# Example

$w = 010$   
 $\delta(010, q_0) =$



- $Q = \{q_0, q_1\}$
- $\Sigma = \{0, 1\}$

•  $\delta =$

	0	1
$q_0$	$q_1$	$q_0$
$q_1$	$q_0$	$q_1$

$\delta(0, q_0) = q_1$   
 $\delta(1, q_0) = q_0$   
 $\delta(0, q_1) = q_0$   
 $\delta(1, q_1) = q_1$

- $S = q_0$
- $A = \{q_1\}$

# Extending the transition function to strings

---

## Extending the transition function to strings

Given DFA  $M = (Q, \Sigma, \delta, s, A)$ ,  $\delta(q, a)$  is the state that  $M$  goes to from  $q$  on reading letter  $a$

Useful to have notation to specify the unique state that  $M$  will reach from  $q$  on reading string  $w$

## Extending the transition function to strings

Given DFA  $M = (Q, \Sigma, \delta, s, A)$ ,  $\delta(q, a)$  is the state that  $M$  goes to from  $q$  on reading letter  $a$

Useful to have notation to specify the unique state that  $M$  will reach from  $q$  on reading string  $w$

Transition function  $\delta^* : Q \times \Sigma^* \rightarrow Q$  defined inductively as follows:

- $\delta^*(q, w) = q$  if  $w = \epsilon$
- $\delta^*(q, w) = \delta^*(\delta(q, a), x)$  if  $w = ax$ .




## Formal definition of language accepted by **M**

### Definition

The language  $L(M)$  accepted by a DFA  $M = (Q, \Sigma, \delta, s, A)$  is

$$\{w \in \Sigma^* \mid \delta^*(s, w) \in A\}.$$


# Example



What is:

- $\delta^*(q_1, \epsilon) = q_1$

# Example




What is:

- $\delta^*(q_1, \epsilon) =$

- $\delta^*(q_0, 1011) = q_0$

# Example



What is:

- $\delta^*(q_1, \epsilon) =$
- $\delta^*(q_0, 1011) =$
- $\delta^*(q_1, 010) = q_1$

# Constructing DFAs: Examples

---

## DFAs: State = Memory

How do we design a DFA  $M$  for a given language  $L$ ? That is  $L(M) = L$ .

- DFA is a like a program that has fixed number of states regardless of its input size.
- The state must capture enough information from the input seen so far that it is sufficient for the suffix that is yet to be seen (note that DFA cannot go back)

# DFA Construction: Example I: Basic languages

Assume  $\Sigma = \{0, 1\}$ .

1.  $L = \emptyset$



# DFA Construction: Example I: Basic languages

Assume  $\Sigma = \{0, 1\}$ .

1.  $L = \emptyset$

2.  $L = \Sigma^*$





# DFA Construction: Example I: Basic languages

Assume  $\Sigma = \{0, 1\}$ .

1.  $L = \emptyset$

2.  $L = \Sigma^*$



# DFA Construction: Example I: Basic languages


Assume  $\Sigma = \{0, 1\}$ .

1.  $L = \emptyset$

2.  $L = \Sigma^*$

3.  $L = \{\epsilon\}$


4.  $L = \{0\}$



# DFA Construction: Example II: Length divisible by 5

Assume  $\Sigma = \{0, 1\}$ .


$L = \{w \in \{0, 1\}^* \mid |w| \text{ is divisible by } 5\}$



# DFA Construction: Example III: Ends with 01

Assume  $\Sigma = \{0, 1\}$ .

$L = \{w \in \{0, 1\}^* \mid w \text{ ends with } 01\}$




# Complement language

---



# Complement

**Question:** If  $M$  is a DFA, is there a DFA  $M'$  such that  $L(M') = \Sigma^* \setminus L(M)$ ? That is, are languages recognized by DFAs closed under complement?



# Complement

Just flip the state of the states!



$$A' = Q - A$$

# Complement

## Theorem

*Languages accepted by DFAs are closed under complement.*



# Complement

## Theorem

*Languages accepted by DFAs are closed under complement.*

## Proof.

Let  $M = (Q, \Sigma, \delta, s, A)$  such that  $L = L(M)$ .

Let  $M' = (Q, \Sigma, \delta, s, Q \setminus A)$ . Claim:  $L(M') = \bar{L}$ . Why?

$\delta_M^* = \delta_{M'}^*$ . Thus, for every string  $w$ ,  $\delta_M^*(s, w) = \delta_{M'}^*(s, w)$ .

$\delta_M^*(s, w) \in A \Rightarrow \delta_{M'}^*(s, w) \notin Q \setminus A$ .  $\delta_M^*(s, w) \notin A \Rightarrow \delta_{M'}^*(s, w) \in Q \setminus A$ . □

# Product Construction

---

# Union and Intersection

Are languages accepted by DFAs closed under union? That is, given DFAs  $M_1$  and  $M_2$  is there a DFA that accepts  $L(M_1) \cup L(M_2)$ ?

How about intersection  $L(M_1) \cap L(M_2)$ ?

# Union and Intersection

Are languages accepted by DFAs closed under union? That is, given DFAs  $M_1$  and  $M_2$  is there a DFA that accepts  $L(M_1) \cup L(M_2)$ ?

How about intersection  $L(M_1) \cap L(M_2)$ ?

Idea from programming: on input string  $w$

- Simulate  $M_1$  on  $w$
- Simulate  $M_2$  on  $w$
- If both accept then  $w \in L(M_1) \cap L(M_2)$ . If at least one accepts then  $w \in L(M_1) \cup L(M_2)$ .

# Union and Intersection

Are languages accepted by DFAs closed under union? That is, given DFAs  $M_1$  and  $M_2$  is there a DFA that accepts  $L(M_1) \cup L(M_2)$ ?

How about intersection  $L(M_1) \cap L(M_2)$ ?

Idea from programming: on input string  $w$

- Simulate  $M_1$  on  $w$
- Simulate  $M_2$  on  $w$
- If both accept then  $w \in L(M_1) \cap L(M_2)$ . If at least one accepts then  $w \in L(M_1) \cup L(M_2)$ .
- **Catch:** We want a single DFA  $M$  that can only read  $w$  once.

# Union and Intersection



Are languages accepted by DFAs closed under union? That is, given DFAs  $M_1$  and  $M_2$  is there a DFA that accepts  $L(M_1) \cup L(M_2)$ ?

How about intersection  $L(M_1) \cap L(M_2)$ ?

Idea from programming: on input string  $w$




- Simulate  $M_1$  on  $w$
- Simulate  $M_2$  on  $w$
- If both accept then  $w \in L(M_1) \cap L(M_2)$ . If at least one accepts then  $w \in L(M_1) \cup L(M_2)$ .
- **Catch:** We want a single DFA  $M$  that can only read  $w$  once.
- **Solution:** Simulate  $M_1$  and  $M_2$  in **parallel** by keeping track of states of both machines

# Cross-Product Example



$M_1$  accepts  
 $\#_0 = \text{odd}$



# Cross-Product Example




$M_1$  accepts  
 $\#_0 = \text{odd}$



# Cross-Product Example



What language does  $M_{12}$  accept?



$M_1$  accepts  
 $\#_0 = \text{odd}$

# Product construction for intersection

$M_1 = (Q_1, \Sigma, \delta_1, s_1, A_1)$  and  $M_2 = (Q_2, \Sigma, \delta_2, s_2, A_2)$

## Theorem

$L(M) = L(M_1) \cap L(M_2)$ .

Create  $M = (Q, \Sigma, \delta, s, A)$  where

# Product construction for intersection

$M_1 = (Q_1, \Sigma, \delta_1, s_1, A_1)$  and  $M_2 = (Q_2, \Sigma, \delta_2, s_2, A_2)$

## Theorem

$L(M) = L(M_1) \cap L(M_2)$ .

$(q_1^i, q_2^i)$

Create  $M = (Q, \Sigma, \delta, s, A)$  where



•  $Q = Q_1 \times Q_2$

•  $s = (s_1, s_2)$


•  $\delta: \delta((q_1, q_2), a) = (\delta(q_1, a), \delta(q_2, a))$

•  $A = \{(q_1, q_2) \mid q_1 \in A_1, q_2 \in A_2\}$


# Intersection vs Union



$M_1 \cap M_2$



$M_1 \cup M_2$



# Product construction for union

$M_1 = (Q_1, \Sigma, \delta_1, s_1, A_1)$  and  $M_2 = (Q_2, \Sigma, \delta_2, s_2, A_2)$

## Theorem

$L(M) = L(M_1) \cup L(M_2)$ .

Create  $M = (Q, \Sigma, \delta, s, A)$  where

- $Q = Q_1 \times Q_2 = \{(q_1, q_2) \mid q_1 \in Q_1, q_2 \in Q_2\}$
- $s = (s_1, s_2)$
- $\delta : Q \times \Sigma \rightarrow Q$  where

$$\delta((q_1, q_2), a) = (\delta_1(q_1, a), \delta_2(q_2, a))$$

- $A = \{(q_1, q_2) \mid q_1 \in A_1 \text{ or } q_2 \in A_2\}$

# The End

Wonder why we had to specify *deterministic* finite automata? That's for next time.