

Pre-lecture brain teaser

Find the regular expressions for the following languages (if possible)

1. $L_1 = \{0^m 1^n \mid m, n \geq 0\}$

2. $L_2 = \{0^n 1^n \mid n \geq 0\}$

3. $L_3 = L_1 \cup L_2$

4. $L_4 = L_1 \cap L_2$

CS/ECE-374: Lecture 5 - Non-regularity and closure

Instructor: Nickvash Kani

September 07, 2023

University of Illinois at Urbana-Champaign

Pre-lecture brain teaser

Find the regular expressions for the following languages (if possible)

1. $L_1 = \{0^m 1^n \mid m, n \geq 0\}$

2. $L_2 = \{0^n 1^n \mid n \geq 0\}$

3. $L_3 = L_1 \cup L_2$

4. $L_4 = L_1 \cap L_2$

Pre-lecture brain teaser

We have a language $L = \{0^n 1^n | n \geq 0\}$

Prove that L is non-regular.

Proving non-regularity: Methods

- **Pumping lemma**. We will not cover it but it is *sometimes* an easier proof technique to apply, but not as general as the fooling set technique.
- **Closure** properties. Use existing non-regular languages and regular languages to prove that some new language is non-regular.
- **Fooling sets**- Method of distinguishing suffixes. To prove that L is non-regular find an infinite fooling set.

Not all languages are regular

Regular Languages, DFAs, NFAs

Theorem

Languages accepted by DFAs, NFAs, and regular expressions are the same.

Question: Is every language a regular language? **No.**

Theorem

Languages accepted by DFAs, NFAs, and regular expressions are the same.

Question: Is every language a regular language? **No.**

- Each DFA M can be represented as a string over a finite alphabet Σ by appropriate encoding
- Hence number of regular languages is countably infinite
- Number of languages is uncountably infinite
- Hence there must be a non-regular language!

A Simple and Canonical Non-regular Language

$$L = \{0^n 1^n \mid n \geq 0\} = \{\epsilon, 01, 0011, 000111, \dots, \}$$

A Simple and Canonical Non-regular Language

$$L = \{0^n 1^n \mid n \geq 0\} = \{\epsilon, 01, 0011, 000111, \dots, \}$$

Theorem

L is not regular.

A Simple and Canonical Non-regular Language

$$L = \{0^n 1^n \mid n \geq 0\} = \{\epsilon, 01, 0011, 000111, \dots, \}$$

Theorem

L is not regular.

Question: Proof?

A Simple and Canonical Non-regular Language

$$L = \{0^n 1^n \mid n \geq 0\} = \{\epsilon, 01, 0011, 000111, \dots, \}$$

Theorem

L is not regular.

Question: Proof?

Intuition: Any program to recognize L seems to require counting number of zeros in input which cannot be done with fixed memory.

A Simple and Canonical Non-regular Language

$$L = \{0^n 1^n \mid n \geq 0\} = \{\epsilon, 01, 0011, 000111, \dots, \}$$

Theorem

L is not regular.

Question: Proof?

Intuition: Any program to recognize L seems to require counting number of zeros in input which cannot be done with fixed memory.


How do we formalize intuition and come up with a formal proof?

Proof by contradiction

- Suppose L is regular. Then there is a DFA M such that $L(M) = L$.
- Let $M = (Q, \{0, 1\}, \delta, s, A)$ where $|Q|$ is finite.

Proof by contradiction

- Suppose L is regular. Then there is a DFA M such that $L(M) = L$.
- Let $M = (Q, \{0, 1\}, \delta, s, A)$ where $|Q|$ is finite.



Proof by Contradiction

- Suppose L is regular. Then there is a DFA M such that $L(M) = L$.
- Let $M = (Q, \{0, 1\}, \delta, s, A)$ where $|Q| = n$.

Proof by Contradiction

- Suppose L is regular. Then there is a DFA M such that $L(M) = L$.
- Let $M = (Q, \{0, 1\}, \delta, s, A)$ where $|Q| = n$.

Consider strings $\epsilon, 0, 00, 000, \dots, 0^n$ total of $n + 1$ strings.

Proof by Contradiction

- Suppose L is regular. Then there is a DFA M such that $L(M) = L$.
- Let $M = (Q, \{0, 1\}, \delta, s, A)$ where $|Q| = n$.

Consider strings $\epsilon, 0, 00, 000, \dots, 0^n$ total of $n + 1$ strings.

What states does M reach on the above strings? Let $q_i = \delta^*(s, 0^i)$.

By pigeon hole principle $q_i = q_j$ for some $0 \leq i < j \leq n$. That is, M is in the same state after reading 0^i and 0^j where $i \neq j$.

Proof by Contradiction

- Suppose L is regular. Then there is a DFA M such that $L(M) = L$.
- Let $M = (Q, \{0, 1\}, \delta, s, A)$ where $|Q| = n$.

Consider strings $\epsilon, 0, 00, 000, \dots, 0^n$ total of $n + 1$ strings.

What states does M reach on the above strings? Let $q_i = \delta^*(s, 0^i)$.

By pigeon hole principle $q_i = q_j$ for some $0 \leq i < j \leq n$. That is, M is in the same state after reading 0^i and 0^j where $i \neq j$.

M should accept $0^i 1^i$ but then it will also accept $0^j 1^i$ where $i \neq j$.

Proof by Contradiction

- Suppose L is regular. Then there is a DFA M such that $L(M) = L$.
- Let $M = (Q, \{0, 1\}, \delta, s, A)$ where $|Q| = n$.

Consider strings $\epsilon, 0, 00, 000, \dots, 0^n$ total of $n + 1$ strings.

What states does M reach on the above strings? Let $q_i = \delta^*(s, 0^i)$.


By pigeon hole principle $q_i = q_j$ for some $0 \leq i < j \leq n$. That is, M is in the same state after reading 0^i and 0^j where $i \neq j$.

M should accept $0^i 1^i$ but then it will also accept $0^j 1^i$ where $i \neq j$.

This contradicts the fact that M accepts L . Thus, there is no DFA

When two states are equivalent?

States that cannot be combined?



We concluded that because each 0^i prefix has a unique state.
Are there states that aren't unique?
Can states be combined?

Equivalence between states


Definition

$M = (Q, \Sigma, \delta, s, A)$: DFA.

Two states $p, q \in Q$ are **equivalent** if for all strings $w \in \Sigma^*$, we have that

$$\delta^*(p, w) \in A \iff \delta^*(q, w) \in A.$$

One can merge any two states that are equivalent into a single state.



Distinguishing between states

Definition


$M = (Q, \Sigma, \delta, s, A)$: DFA.

Two states $p, q \in Q$ are **distinguishable** if there exists a string $w \in \Sigma^*$, such that

$$\delta^*(p, w) \in A \quad \text{and} \quad \delta^*(q, w) \notin A.$$

or

$$\delta^*(p, w) \notin A \quad \text{and} \quad \delta^*(q, w) \in A.$$



Distinguishable prefixes

$M = (Q, \Sigma, \delta, s, A)$: DFA

Idea: Every string $w \in \Sigma^*$ defines a state $\nabla w = \delta^*(s, w)$.

Distinguishable prefixes

$M = (Q, \Sigma, \delta, s, A)$: DFA


Idea: Every string $w \in \Sigma^*$ defines a state $\nabla w = \delta^*(s, w)$.

Definition

Two strings $u, w \in \Sigma^*$ are **distinguishable** for M (or $L(M)$) if ∇u and ∇w are distinguishable.

Definition (Direct restatement)

Two prefixes $u, w \in \Sigma^*$ are **distinguishable** for a language L if there exists a string x , such that $ux \in L$ and $wx \notin L$ (or $ux \notin L$ and $wx \in L$).



Distinguishable means different states

Lemma

L: regular language.


$M = (Q, \Sigma, \delta, s, A)$: DFA for L .

If $x, y \in \Sigma^$ are distinguishable, then $\nabla x \neq \nabla y$.*


Reminder: $\nabla x = \delta^*(s, x) \in Q$ and $\nabla y = \delta^*(s, y) \in Q$

Proof by a figure

Possible



Not possible



Review questions...

- Are $\nabla 0^i$ and $\nabla 0^j$ are distinguishable for the language $\{0^n 1^n \mid n \geq 0\}$.

Review questions...

- Are $\nabla 0^i$ and $\nabla 0^j$ are distinguishable for the language $\{0^n 1^n \mid n \geq 0\}$.
- Let L be a regular language, and let w_1, \dots, w_k be strings that are all pairwise distinguishable for L . How many states must the DFA for L have?

Review questions...

- Are $\nabla 0^i$ and $\nabla 0^j$ distinguishable for the language $\{0^n 1^n \mid n \geq 0\}$.
- Let L be a regular language, and let w_1, \dots, w_k be strings that are all pairwise distinguishable for L . How many states must the DFA for L have?
- Prove that $\{0^n 1^n \mid n \geq 0\}$ is not regular.

Fooling sets: Proving non-regularity

Fooling Sets

Definition

For a language L over Σ a set of strings F (could be infinite) is a **fooling set** or **distinguishing set** for L if every two distinct strings $x, y \in F$ are distinguishable.

Fooling Sets

Definition

For a language L over Σ a set of strings F (could be infinite) is a **fooling set** or **distinguishing set** for L if every two distinct strings $x, y \in F$ are distinguishable.

Example: $F = \{0^i \mid i \geq 0\}$ is a fooling set for the language $L = \{0^n 1^n \mid n \geq 0\}$.

Fooling Sets

Definition

For a language L over Σ a set of strings F (could be infinite) is a **fooling set** or **distinguishing set** for L if every two distinct strings $x, y \in F$ are distinguishable.

Example: $F = \{0^i \mid i \geq 0\}$ is a fooling set for the language $L = \{0^n 1^n \mid n \geq 0\}$.

Theorem

*Suppose F is a fooling set for L . If F is finite then there is no **DFA** M that accepts L with less than $|F|$ states.*

Recall

Already proved the following lemma:

Lemma

L: regular language.

$M = (Q, \Sigma, \delta, s, A)$: *DFA* for L .

If $x, y \in \Sigma^$ are distinguishable, then $\nabla x \neq \nabla y$.*

Reminder: $\nabla x = \delta^*(s, x)$.

Proof of theorem

Theorem (Reworded.)

L: A language

F: a fooling set for *L*.

If *F* is finite then any DFA *M* that accepts *L* has at least $|F|$ states.

Proof.

Let $F = \{w_1, w_2, \dots, w_m\}$ be the fooling set.

Let $M = (Q, \Sigma, \delta, s, A)$ be any DFA that accepts *L*.

Let $q_i = \nabla w_i = \delta^*(s, x_i)$.

By lemma $q_i \neq q_j$ for all $i \neq j$.

As such, $|Q| \geq |\{q_1, \dots, q_m\}| = |\{w_1, \dots, w_m\}| = |F|$. □

Infinite Fooling Sets

Corollary

If L has an infinite fooling set F then L is not regular.

Proof.

Let $w_1, w_2, \dots \subseteq F$ be an infinite sequence of strings such that every pair of them are distinguishable.

Assume for contradiction that $\exists M$ a DFA for L .

Infinite Fooling Sets

Corollary

If L has an infinite fooling set F then L is not regular.

Proof.

Let $w_1, w_2, \dots \subseteq F$ be an infinite sequence of strings such that every pair of them are distinguishable.

Assume for contradiction that $\exists M$ a DFA for L .

Let $F_i = \{w_1, \dots, w_i\}$.

By theorem, $\#$ states of $M \geq |F_i| = i$, for all i .

As such, number of states in M is infinite.

Infinite Fooling Sets

Corollary

If L has an infinite fooling set F then L is not regular.

Proof.

Let $w_1, w_2, \dots \subseteq F$ be an infinite sequence of strings such that every pair of them are distinguishable.

Assume for contradiction that $\exists M$ a DFA for L .

Let $F_i = \{w_1, \dots, w_i\}$.

By theorem, $\#$ states of $M \geq |F_i| = i$, for all i .

As such, number of states in M is infinite.

Contradiction: DFA = deterministic finite automata. But M not finite. □

Examples

- $\{0^n 1^n \mid n \geq 0\}$

Examples

- $\{0^n 1^n \mid n \geq 0\}$
- {bitstrings with equal number of 0s and 1s}

Examples

- $\{0^n 1^n \mid n \geq 0\}$
- {bitstrings with equal number of 0s and 1s}
- $\{0^k 1^\ell \mid k \neq \ell\}$

Examples

$L = \{\text{strings of properly matched open and closing parentheses}\}$

Examples

$L = \{\text{palindromes over the binary alphabet } \Sigma = \{0, 1\}\}$

A palindrome is a string that is equal to its reversal, e.g. 10001 or 0110.

Closure properties: Proving non-regularity

Non-regularity via closure properties

$H = \{\text{bitstrings with equal number of 0s and 1s}\}$

$H' = \{0^k 1^k \mid k \geq 0\}$

Suppose we have already shown that L' is non-regular. Can we show that L is non-regular without using the fooling set argument from scratch?

Non-regularity via closure properties

$H = \{\text{bitstrings with equal number of 0s and 1s}\}$

$H' = \{0^k 1^k \mid k \geq 0\}$

Suppose we have already shown that L' is non-regular. Can we show that L is non-regular without using the fooling set argument from scratch?

$H' = H \cap L(0^*1^*)$

Claim: The above and the fact that L' is non-regular implies L is non-regular. Why?

Non-regularity via closure properties

$H = \{\text{bitstrings with equal number of 0s and 1s}\}$

$H' = \{0^k 1^k \mid k \geq 0\}$

Suppose we have already shown that L' is non-regular. Can we show that L is non-regular without using the fooling set argument from scratch?


$H' = H \cap L(0^*1^*)$

Claim: The above and the fact that L' is non-regular implies L is non-regular. Why?

Suppose H is regular. Then since $L(0^*1^*)$ is regular, and regular languages are closed under intersection, H' also would be regular. But we know H' is not regular, a contradiction.

Non-regularity via closure properties

General recipe:



Examples

$$L = \{0^k 1^k \mid k \geq 1\}$$

Careful with closure!

$$L' = \{0^k1^k \mid k \geq 0\}$$

Complement of L (\bar{L}) is also not regular.

But $L \cup \bar{L} = (0 + 1)^*$ which is regular.

In general, always use closure in forward direction, (i.e L and L' are regular, therefore $L \text{ OP } L'$ is regular.)

In particular, regular languages are not closed under subset/superset relations.

Proving non-regularity: Summary

- Method of distinguishing suffixes. To prove that L is non-regular find an infinite fooling set.
- Closure properties. Use existing non-regular languages and regular languages to prove that some new language is non-regular.
- **Pumping lemma**. We did not cover it but it is sometimes an easier proof technique to apply, but not as general as the fooling set technique.