




# Pre-lecture brain teaser

What is the context-free grammar of the following push-down automaton?



# ECE-374-B: Lecture 7 - Turing machine

---


**Instructor:** Abhishek Kumar Umrawal

February 8, 2024

University of Illinois at Urbana-Champaign

# Pre-lecture brain teaser


What is the context-free grammar of the following push-down automata:



Larger world of languages!


---

# Chomsky Hierarchy




Remember our hierarchy of languages

# Chomsky Hierarchy




You've mastered regular expressions.

# Chomsky Hierarchy






# Chomsky Hierarchy



Now what about the next level up?

# Chomsky Hierarchy



On to the next one ...

# Context-Sensitive Languages

---

## Example

The language  $L = \{a^n b^n c^n \mid n \geq 1\}$  is not a context free language.

## Example

The language  $L = \{a^n b^n c^n | n \geq 1\}$  is not a context free language. *but it is a context-sensitive language!*

- $V = \{S, A, B\}$

- $T = \{a, b, c\}$

- $P = \left\{ \begin{array}{l} S \rightarrow abc|aAbc, \\ Ab \rightarrow bA, \\ Ac \rightarrow Bbcc \\ bB \rightarrow Bb \\ aB \rightarrow aa|aaA \end{array} \right\}$

## Example

The language  $L = \{a^n b^n c^n \mid n \geq 1\}$  is not a context free language. *but it is a context-sensitive language!*

- $V = \{S, A, B\}$

- $T = \{a, b, c\}$

- $P = \left\{ \begin{array}{l} S \rightarrow abc|aAbc, \\ Ab \rightarrow bA, \\ Ac \rightarrow Bbcc \\ bB \rightarrow Bb \\ aB \rightarrow aa|aaA \end{array} \right\}$

$S \rightsquigarrow aAbc \rightsquigarrow abAc \rightsquigarrow abBbcc \rightsquigarrow aBbbcc \rightsquigarrow aaAbbcc \rightsquigarrow aabAbcc$   
 $\rightsquigarrow aabbAcc \rightsquigarrow aabbBbcc \rightsquigarrow aabBbbcc \rightsquigarrow aaBbbbcc$   
 $\rightsquigarrow aaabbbccc$

# Context Sensitive Grammar (CSG) Definition

## Definition

A CSG is a quadruple  $G = (V, T, P, S)$

- $V$  is a finite set of **non-terminal symbols**
- $T$  is a finite set of **terminal symbols** (alphabet)
- $P$  is a finite set of **productions**, each of the form  
 $\alpha \rightarrow \beta$   
where  $\alpha$  and  $\beta$  are strings in  $(V \cup T)^*$ .
- $S \in V$  is a **start symbol**

$$G = \left( \text{Variables, Terminals, Productions, Start var} \right)$$

## Example formally ...

$$L = \{a^n b^n c^n \mid n \geq 1\}$$

$$\cdot V = \{S, A, B\}$$

$$\cdot T = \{a, b, c\}$$

$$\cdot P = \left\{ \begin{array}{l} S \rightarrow abc|aAbc, \\ Ab \rightarrow bA, \\ Ac \rightarrow Bbcc \\ bB \rightarrow Bb \\ aB \rightarrow aa|aaA \end{array} \right\}$$

$$G = \left( \begin{array}{cc} \{S, A, B\}, & \{a, b, c\}, \\ \left\{ \begin{array}{l} S \rightarrow abc|aAbc, \\ Ab \rightarrow bA, \\ Ac \rightarrow Bbcc \\ bB \rightarrow Bb \\ aB \rightarrow aa|aaA \end{array} \right\} & S \end{array} \right)$$



## Other examples of context-sensitive languages

$$L_{\text{Cross}} = \{a^m b^n c^m d^n \mid m, n \geq 1\} \quad (1)$$

# Turing Machines

---

## “Most General” computer?

- DFAs are simple model of computation.
- Accept only the regular languages.
- Is there a kind of computer that can accept any language, or compute any function?
- Recall counting argument. Set of all languages:  
 $\{L \mid L \subseteq \{0, 1\}^*\}$  is ~~countably infinite~~ / uncountably infinite


## “Most General” computer?

- DFAs are simple model of computation.
- Accept only the regular languages.
- Is there a kind of computer that can accept any language, or compute any function?
- Recall counting argument. Set of all languages:  
 $\{L \mid L \subseteq \{0, 1\}^*\}$  is ~~countably infinite~~ / uncountably infinite
- Set of all programs:  
 $\{P \mid P \text{ is a finite length computer program}\}$ :  
is countably infinite / ~~uncountably infinite~~.


## “Most General” computer?

- **DFA**s are simple model of computation.
- Accept only the regular languages.
- Is there a kind of computer that can accept any language, or compute any function?
- Recall counting argument. Set of all languages:  
 $\{L \mid L \subseteq \{0, 1\}^*\}$  is ~~countably infinite~~ / uncountably infinite
- Set of all programs:  
 $\{P \mid P \text{ is a finite length computer program}\}$ :  
is countably infinite / ~~uncountably infinite~~.
- **Conclusion:** There are languages for which there are no programs.

# Chomsky Hierarchy



# Chomsky Hierarchy




Onto our final class of languages - recursively enumerable (aka Turing-recognizable) languages.

# What is a Turing machine

---



# Turing machine



- Input written on (infinite) one sided tape.
- Special blank characters.
- Finite state control (similar to DFA).
- Every step: Read character under head, write character out, move the head right or left (or stay).

## High level goals

- Church-Turing thesis: **TM**s are the most general computing devices. So far no counter example.
- Every **TM** can be represented as a string.
- Existence of Universal Turing Machine which is the model/inspiration for stored program computing. **UTM** can simulate any **TM**
- Implications for what can be computed and what cannot be computed

## Examples of Turing

---

- binary increment

# Turing machine: Formal definition


A Turing machine is a 7-tuple  $(Q, \Sigma, \Gamma, \delta, q_0, q_{\text{acc}}, q_{\text{rej}})$

- $Q$ : finite set of states.
- $\Sigma$ : finite input alphabet.
- $\Gamma$ : finite tape alphabet.
- $\delta : Q \times \Gamma \rightarrow Q \times \Gamma \times \{\mathbf{L}, \mathbf{R}, \mathbf{S}\}$ : Transition function.
- $q_0 \in Q$  is the initial state.
- $q_{\text{acc}} \in Q$  is the accepting/final state.
- $q_{\text{rej}} \in Q$  is the rejecting state.
- $\sqcup$  or  $\square$ : Special blank symbol on the tape.

# Turing machine: Transition function

$$\delta : Q \times \Gamma \rightarrow Q \times \Gamma \times \{L, R, S\}$$

As such, the transition



$$\delta(q, c) = (p, d, L)$$

- $q$ : current state.
- $c$ : character under tape head.
- $p$ : new state.
- $d$ : character to write under tape head
- $L$ : Move tape head left.


Can also be written as

$$c \rightarrow d, L \quad (2)$$

# Turing machine: Transition function

$$\delta : Q \times \Gamma \rightarrow Q \times \Gamma \times \{L, R, S\}$$

As such, the transition



$$\delta(q, c) = (p, d, L)$$

- $q$ : current state.
- $c$ : character under tape head.
- $p$ : new state.
- $d$ : character to write under tape head
- $L$ : Move tape head left.

Missing transitions lead to hell state.  
“Blue screen of death.”  
“Machine crashes.”

## Some examples of Turing machines

---



- equal strings TM
- palindrome TM

# Languages defined by a Turing machine

---

# Recursive vs. Recursively Enumerable

- Recursively enumerable (aka RE) languages

$$L = \{L(M) \mid M \text{ some Turing machine}\}.$$

- Recursive / decidable languages

$$L = \{L(M) \mid M \text{ some Turing machine that halts on all inputs}\}.$$

## Recursive vs. Recursively Enumerable

- Recursively enumerable (aka RE) languages (bad)

$$L = \{L(M) \mid M \text{ some Turing machine}\}.$$

- Recursive / decidable languages (good)

$$L = \{L(M) \mid M \text{ some Turing machine that halts on all inputs}\}.$$

# Recursive vs. Recursively Enumerable

- Recursively enumerable (aka RE) languages (bad)

$$L = \{L(M) \mid M \text{ some Turing machine}\}.$$

- Recursive / decidable languages (good)

$$L = \{L(M) \mid M \text{ some Turing machine that halts on all inputs}\}.$$

- Fundamental questions:
  - What languages are RE?
  - Which are recursive?
  - What is the difference?
  - What makes a language decidable?

# What is Decidable?

---

## Decidable vs recursively-enumerable

A semi-decidable problem (equivalent of recursively enumerable) could be:

- **Decidable** - equivalent of recursive (TM always accepts or rejects).
- **Undecidable** - Problem is not recursive (doesn't always halt on negative)


There are undecidable problem that are not semi-decidable (recursively enumerable).

Infinite Tapes? Do we need them?


---



Let's look at the TM that recognizes  $L = \{a^n b^n c^n \mid n \geq 0\}$ :



# Linear Bounded Automata




- (Nondeterministic) Linear bounded automata can recognize all context sensitive languages.
- Machine can non-deterministically apply all production rules to input in reverse and see if we end up with the start token.

Well that was a journey ...

---

# Zooming out



Grammar	Languages	Production Rules	Automation	Examples
Type-0	Turing machine	$\gamma \rightarrow \alpha$ (no constraints)	Turing machine	$L = \{w w \text{ is a TM which halts}\}$
Type-1	Context-sensitive	$\alpha A \beta \rightarrow \alpha \gamma \beta$	Linear bounded Non-deterministic Turing machine	$L = \{a^n b^n c^n   n > 0\}$
Type-2	Context-free	$A \rightarrow \alpha$	Non-deterministic Push-down automata	$L = \{a^n b^n   n > 0\}$
Type-3	Regular	$A \rightarrow aB$	Finite State Machine	$L = \{a^n   n > 0\}$

Meaning of symbols:

- $a$  = terminal
- $A, B$  = variables
- $\alpha, \beta, \gamma$  = string of  $\{a \cup A\}^*$
- $\alpha, \beta$  = maybe empty --  $\gamma$  = never empty